



Edition: BP 2025 (Ph. Eur. 11.6 update)

Simple Eye Ointment

[General Notices](#)

Eye Ointment Basis

DEFINITION

Wool Fat	100 g
Yellow Soft Paraffin	800 g
Liquid Paraffin	Sufficient to produce 1000 g

Extemporaneous preparation

The following directions apply.

Melt together the Wool Fat and the Yellow Soft Paraffin, add the Liquid Paraffin, filter the hot mixture through coarse filter paper placed in a heated funnel, sterilise the filtrate by [dry heat](#) at a minimum of 150° for not less than 1 hour and allow to cool.

The eye ointment complies with the requirements stated under Eye Preparations.