

LIFEZAR – Viên nén bao phim  
Hộp 3 vỉ x 10 viên

970/153

**BỘ Y TẾ  
CỤC QUẢN LÝ DƯỢC  
ĐÃ PHÊ DUYỆT**

Lần đầu: 19/9/2018



Pantone 3255 C



Pantone 3288 C

5% Grey process

The image shows a detailed layout of a rectangular product box for Lifezar 50mg tablets. The box is divided into several sections:

- Top Panel:** Features the text "Angiotensin II Receptor Antagonist / Antihypertensive" in white on a dark blue background. Below this, the product name "Lifezar" is written in a large, stylized font, with "Losartan potassium 50 mg" underneath. A small red circular logo is visible on the right side.
- Front Panel:** Contains the "Lifezar" logo and "Losartan potassium 50 mg" in a blue box. Below this, it states "Hộp 3 vỉ x 10 viên nén bao phim".
- Right Panel:** Lists the ingredients: "THÀNH PHẦN" (Losartan potassium 50 mg, Tá dược vừa đủ 1 viên) and the manufacturer: "CÔNG TY TNHH UNITED INTERNATIONAL PHARMA" (Sở 16 VSIP II, Đường số 7, Khu Công Nghiệp Việt Nam-Singapore II, Phường Hoà Phú, Thành Phố Thủ Dầu Một, Tỉnh Bình Dương, Việt Nam). It also includes WHO-GMP, GLP, GSP certification and contact information.
- Bottom Panel:** Includes a barcode with the number 819360221470694, the text "Chất đối kháng thụ thể Angiotensin II / Thuốc điều trị cao huyết áp", and storage instructions: "KEEP AWAY FROM CHILDREN. STORE AT TEMPERATURES NOT EXCEEDING 30°C. please refer to package insert. For Indications, Dosage, Administration, Contraindications and other information."
- Left Panel:** Contains regulatory information: "Số lô SX/ Lot #", "NSX/ Mfg. HD/ Exp.", and "BXVIE1288030BL-02".
- Back Panel:** Features the text "Chỉ định, liều dùng, cách dùng, chống chỉ định và các thông tin khác, xin xem toa hướng dẫn sử dụng. Bảo quản ở nhiệt độ không quá 30°C. ĐỂ XA TẮM TAY TRẺ EM. ĐỌC KỸ HƯỚNG DẪN SỬ DỤNG TRƯỚC KHI DÙNG. SDK/ Reg No.:".

A red circular stamp is visible on the right side of the box layout, containing the text: "M.S.D.N:3701333517-C.T.T.N.H.H. CÔNG TY TNHH UNITED INTERNATIONAL PHARMA ĐÀU MỘT - T. BÌNH DƯƠNG".

92 x 40 x 22 mm



